

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 09 1999
 Returned to applicant for correction _____
 Corrected application filed _____
 Map filed JUL 21 1999 under 65295

The applicant **City of Yerington**, hereby make application for permission to change the **Manner and Place of Use** of water heretofore appropriated under **Permit 59610**

1. The source of water is **Underground (Well #1)**
2. The amount of water to be changed **1.0 c.f.s. but not to exceed 36.5 million gallons annually**
3. The water to be used for **Municipal and Domestic**
4. The water heretofore permitted for **Municipal**
5. The water is to be diverted at the following point **NW¼ SE¼, Sec. 15, T.13N., R.25E., M.D.B.&M., or at a point from which the SE corner of said Sec. 15 bears S. 44°56'13" E., a distance of 1,928.0 ft.**
6. The existing permitted point of diversion is located within **UNCHANGED**
7. Proposed place of use **SEE ATTACHMENT "A"**
8. Existing place of use **Portions of the NE¼ NE¼, SE¼ NE¼, NE¼ SE¼, SE¼ SE¼, SW¼ SE¼, Sec. 21; SW¼ SW¼, Sec. 22; NW¼ NE¼, NE¼ NE¼, Sec. 28 all in T.13N., R.25E. M.D.B.&M.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **A drilled well equiped with motor, pump, storage tank and pipeline distribution system.**
12. Estimated cost of works **In excess of \$5,000,000.00**
13. Estimated time required to construct works **Completed**
14. Estimated time required to complete the application of water to beneficial use **Ten (10) years**
15. Remarks: **SEE ATTACHMENT "B"**

By **Gregory M. Bilyeu**
s/Gregory M. Bilyeu
P.O. Box 70458
Reno, Nevada 89570-0458

Compared cmf/bk dl/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use and manner of use of the waters of an underground source as heretofore granted under Permit 59610 is issued subject to the terms and conditions imposed in said Permit 59610 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 65295, 65296, 65297, 65298, 65299, 65300, 65301, 65302, 65303, 65357 and 65358 shall not exceed 5,229.29 acre-feet annually.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 112.01 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 5, 2001

Proof of completion of work shall be filed before:

August 5, 2001

Water must be placed to beneficial use on or before:

July 5, 2010

Proof of the application of water to beneficial use shall be filed on or before:

August 5, 2010


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 5th day of July A.D. 2000


State Engineer

Completion of work filed SEP 29 2000

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800

ATTACHMENT "A"**7. Proposed Place of Use**

T.12N., R.25E., M.D.B. & M.:

W $\frac{1}{2}$, W $\frac{1}{2}$ E $\frac{1}{2}$, Section 4.

T.13N., R.25E., M.D.B. & M.:

Portion of SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 2; E $\frac{1}{2}$ SE $\frac{1}{4}$, Section 9; S $\frac{1}{2}$, Section 10; W $\frac{1}{2}$, W $\frac{1}{2}$ E $\frac{1}{2}$, Section 11; W $\frac{1}{2}$, Section 14; All of Section 15; E $\frac{1}{2}$ E $\frac{1}{2}$, Section 16; SE $\frac{1}{4}$, E $\frac{1}{2}$ NE $\frac{1}{4}$, Section 21; All of Section 22; W $\frac{1}{2}$, Section 23; W $\frac{1}{2}$, Section 26; All of Section 27; E $\frac{1}{2}$ W $\frac{1}{2}$, E $\frac{1}{2}$, Section 28; All of Section 33; All of Section 34; W $\frac{1}{2}$, Section 35.

ATTACHMENT "B"

The proposed place of use represents the consolidated City of Yerington and Mason Water Company water system service areas as well as those areas identified for annexation by the City of Yerington over the next 10 years. The combined systems are forecasted to be serving over 12,000 residents and with approximately 4800 residential and commercial customers. The combined water systems will satisfy the needs of the Yerington - Mason area for the next 15 years.

The total combined duty of applications to change Permits 59609 and 59610 are not to exceed 36.5 (112.01 ac.-ft.) annually.

